COC-Formisorb

IMPREGNATED ACTIVATED CARBON

COC-Formisorb is an impregnated activated carbon for formaldehyde removal. High quality steam activated carbon is chemically impregnated with readive compounds.

Displaying high density, superior hardness, large pore volume and excellent loading capacity, COC-Formisorb enables exceptional filtration performance.

COC-Formisorb has been developed for the removal of airborne pollutants including formaldehyde. COC-Formisorb is chromlum and halogen free making it safe and easy to handle using common industry practice.

SPECIFICATION

Moisture (as packed)	max	15	%
Hardness (pellets)	min	95	%
Hardness (granules)	min	90	%

TYPICAL PROPERTIES

CTC Activity (impregnated carbon)	55	%
Butane Activity (impregnated carbon)	21	%
Apparent Density	0.54	g/cm³
Adsorber Fill Density	500	kg/m³
Formaldehyde Adsorption Index	85	

AVAILABLE SIZES

4x6	(4.75-3.35 mm)	min	90	%
4x8	(4.75-2.36 mm)	min	90	%
6x12	(3.35-1.70 mm)	min	90	%
30x60	(0.60-0.25 mm)	min	90	%

ADVANTAGES

- · High performance
- · Consistent quality
- Good formaldehyde loading capacity and retentivity
- · Chemically impregnated
- · Low dust
- High hardness
- Low producy degradation
- · Easy filter loading

STANDARD PACKAGING

- · 25 kg sacks
- 500 kg big bags
- · Bulk tankers



NOTICE:

This information is offered solely for your consideration and verification. It has been gathered from reference materials and/or test procedures and is belived to be true and accurate. None of this information shall constitute a warranty or representation, expressed or implied, for which we assume legal responsibility or that the information or goods described is fit for any particular use either alone or in combination with other goods or processes.

Elektravägen 53 SE-126 30 Hägersten, Sweden +46 10 252 30 00 www.mellifig.com











